

**AR997s**


**Danby Bamboo Wireless Fast 10W Charger (Stock)**

**Branding Options:** Laser Engrave, 4CP Digital Print

**Product Size:** 100 (dia) x 7 mm

**Colour:** Product Colour: Bamboo/Black, Bamboo/Rose Gold, Bamboo/Silver

Bamboo / \_\_\_\_\_ Trim



Front

Branding Size : 60 mm Diameter - Laser Engrave

Branding Size : 80 mm Diameter - 4CP

100%

10mm

Please follow these artwork guidelines • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any necessary colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All specifics need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.


**AR997s**

**Danby Bamboo Wireless Fast 10W Charger (Stock)**

**Branding Options:** Laser Engrave, 4CP Digital Print

**Product Size:** 100 (dia) x 7 mm

**Colour:** Product Colour: Bamboo/Black, Bamboo/Rose Gold, Bamboo/Silver



Please follow these artwork guidelines • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any necessary colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All specifics need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.

**AR997s**


**Danby Bamboo Wireless Fast 10W Charger (Stock)**

**Branding Options:** Laser Engrave, 4CP Digital Print

**Product Size:** 100 (dia) x 7 mm

**Colour:** Product Colour: Bamboo/Black, Bamboo/Rose Gold, Bamboo/Silver

Customised Printed Sleeve  
CS100-459



Print Area : 305mm x 101mm - 3mm bleed required on all edges  
4CP Digital Print



Please follow these artwork guidelines • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any necessary colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All specifics need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.